TUFF COAT

RUBBERIZED NON-SKID COATINGS











COMMERCIAL GRADE

NON-SUBMERSIBLE

EXCELLENT FOR CONCRETE, FIBERGLASS, WOOD, METAL SUBSTRATES
& PREVIOUSLY PAINTED SURFACES

WATER-BASED, DURABLE, FLEXIBLE

APPLY BY ROLLER OR SPRAY

CHEMICAL & UV RESISTANT

RUBBERIZED NON-SKID COATINGS

Tuff Coat is a single component, flexible, water-based non-skid coating created through a unique process of cross-linking urethanes, acrylics, co-polymers and recycled rubber granules to create a long-lasting non-slip finish. This product can be applied by Tuff Coat roller, low-pressure hopper spray gun or commercial texture sprayer.

UT-100 SERIES - NON-SUBMERSIBLE, MEDIUM TEXTURE



This non-submersible product is designed to provide an attractive, durable, impact-resistant, non-slip surface for pool decks, ramps, locker rooms, kitchens, foot bridges, stairs and other areas requiring slip resistance that will not be submerged.

AVAILABLE IN 19 ATTRACTIVE STOCKED AND LARGE VOLUME CUSTOM COLORS.

UT-200 SERIES - SUBMERSIBLE, MEDIUM TEXTURE



This fully submersible product is designed to provide an attractive, highly durable, impact-resistant, non-slip surface for splash pads, kiddie, catch, and wave pools, spray parks, restroom floors, deck surfaces and other areas requiring slip resistance that can be used in or out of water.

AVAILABLE IN 15 ATTRACTIVE STOCKED AND LARGE VOLUME CUSTOM COLORS.

UT-300 - COMMERCIAL GRADE, COARSE TEXTURE



This commercial grade product is designed to provide an extremely durable, impact-resistant, non-slip surface for heavy duty industrial applications such as loading docks, ramps, refineries and other areas requiring extreme slip resistance that can be used in or out of a wet environment.

AVAILABLE IN BLACK AND LARGE VOLUME CUSTOM COLORS.

TUFF COAT TEXTURED ROLLERS



Tuff Coat non-skid coatings must be applied by Tuff Coat rollers to ensure a uniform finish and proper dispersion of the rubber granules.

P9001 - 9" Textured Roller Cover P4002 - 4" Textured Roller Cover (Twin Pack)

AVAILABLE COLORS



PRIMERS

UT-80 ADHESION PRIMER



UT-80 ADHESION PRIMER is a 2 component water-based epoxy primer/sealer that can be used on concrete, wood, fiberglass and painted surfaces to promote adhesion between the substrate and Tuff Coat. UT-80 Adhesion Primer can be applied to damp concrete surfaces following proper application procedures. UT-80 Adhesion Primer is compatible with all Tuff Coat rubberized non-skid coatings.

UT-95 METAL PRIMER



UT-95 METAL PRIMER is a fast drying, single-component, water-based, corrosion inhibiting primer that's designed for use on interior and exterior metal applications that is compatible with Tuff Coat rubberized non-skid coatings. The product chemically etches for a tighter bond on clean, bare steel or aluminum surfaces.

APPLICATION GUIDES



